





MINIMUM DOWN GRADES FOR DRIVEWAYS (STANDARD KERB)



ALL DRIVEWAY GRADES ARE BASED ON AS/NZS 2890.1:2004 FOR A STANDARD B99 VEHICLE.



SAMPLE DRIVEWAY POINT HEIGHTS

DISTANCE FROM KERBLINE TO GARAGE X (m)	HEIGHT DIFFERENCE TO GUTTER INVERT (m)					
	A	B	C	D	E	F
3.05	0.1	0.165	-	-	-	-
3.50	0.1	0.165	0.120	-	-	-
4.00	0.1	0.165	0.070	-	-	-
4.50	0.1	0.165	0.020	-	-	-
5.00	0.1	0.165	-0.030	-	-	-
5.50	0.1	0.165	-0.035	-0.103	-	-
6.00	0.1	0.165	-0.035	-0.178	-	-
6.50	0.1	0.165	-0.035	-0.253	-	-
7.00	0.1	0.165	-0.035	-0.328	-	-
7.50	0.1	0.165	-0.035	-0.403	-	-
8.00	0.1	0.165	-0.035	-0.478	-0.511	-
8.50	0.1	0.165	-0.035	-0.553	-0.624	-
9.00	0.1	0.165	-0.035	-0.628	-0.736	-
9.50	0.1	0.165	-0.035	-0.703	-0.849	-
10.00	0.1	0.165	-0.035	-0.778	-0.962	-0.988
11.00	0.1	0.165	-0.035	-0.928	-1.173	-1.273
12.00	0.1	0.165	-0.035	-1.178	-1.558	-1.843
13.00	0.1	0.165	-0.035	-1.428	-2.043	-2.613
14.00	0.1	0.165	-0.035	-1.678	-2.528	-3.383
15.00	0.1	0.165	-0.035	-1.928	-3.013	-4.153
16.00	0.1	0.165	-0.035	-2.178	-3.498	-4.923
17.00	0.1	0.165	-0.035	-2.428	-3.983	-5.693
18.00	0.1	0.165	-0.035	-2.678	-4.468	-6.463
19.00	0.1	0.165	-0.035	-2.928	-4.953	-7.233
20.00	0.1	0.165	-0.035	-3.178	-5.438	-8.003

GARAGE FLOOR LEVEL FORMULA

DISTANCE FROM KERBLINE TO GARAGE X (m)	GARAGE FLOOR LEVEL BELOW GUTTER INVERT (m)
3.05-5.04	$[(X-3.05) \times -0.10] + 0.165$
5.05-7.54	$[(X-5.05) \times -0.15] - 0.035$
7.55-9.04	$[(X-7.55) \times -0.225] - 0.41$
9.55 +	$[(X-9.55) \times -0.285] - 0.86$